

UNITED STATES PATENT APPLICATION

For

METHOD AND APPARATUS FOR DISPLAYING WORKS OF ART

Inventor:

Sean B. Weatherill

prepared by:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN
12400 Wilshire Boulevard
Seventh Floor
Los Angeles, California 90025-1026

Docket No.: 004613.P001


EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number EL627469791US Date of Deposit March 30, 2001

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Assistant Commissioner for Patents, Washington, D. C. 20231

Geneva Walls

(Typed or printed name of person mailing paper or fee)



(Signature of person mailing paper or fee)

METHOD AND APPARATUS FOR DISPLAYING WORKS OF ART

[001] This application claims the benefit of the filing date of the following Provisional U.S. Patent Application: “**METHOD AND APPARATUS FOR DISPLAYING WORKS OF ART**”, application number 60/195,632, filed April 7, 2000.

Field of the Invention

[002] The present invention relates to a manner of displaying art. In particular, the invention focuses on artistic or other displays which are suitable for framing. The invention addresses displays which are intended to be of individual or collage form.

Background of the Invention

[003] Several forms of art and methods of displaying artwork involve the utilization of frames or frame units which are designed to display multiple pieces of art simultaneously. Often these multiple displays involve the display of photographs or pictures.

[004] An example of this method of displaying artwork is exhibited by the collage frame. A collage frame is a frame with a backing section, a transparent section, and a frame perimeter. The frame is marked by a large perimeter as with other non-collage frames. However, the collage frame also has several intersecting linear portions which extend interior of the large perimeter and visually divide the underlying transparent section into several sections. In the alternative, a subdivided matting may be disposed under the transparent section in order to give the appearance of a divided transparent section. Photographs or other pieces of art may then be disposed between the apparent subdivided transparent section (or the matting, as the case may

be) and the backing section. That is, each subdivided transparent section will reveal a separate photograph or other piece of art.

[005] A second example of this method of displaying artwork is exhibited by the linking of multiple transparent sections by a single linked frame unit. This linked frame unit generally involves the use of several individual frame perimeters, each having a corresponding backing section, and a corresponding transparent section. Again, a photo or other piece of art will be disposed between the transparent section and the backing section. However, no matting is required and no linear portions will extend interior of the frame perimeters. Rather, several frame perimeters will be linked to one another in the form of a single linked frame unit. This single linked frame unit displays several pieces of art simultaneously as did the collage frame.

[006] In the case of the collage frame, and the linked frame unit, the number and outlay of the photos (or pieces of art) are predetermined. That is, in the case of the collage frame, the linear portions which extend interior of the frame perimeter, or the matting, will be determinative of the number and precise outlay of photos which may be displayed. In the case of the frame unit, the number and outlay of frame perimeters and corresponding backing and transparent sections are determinative of the number and outlay of the photos to be displayed. Unless the user decides to leave certain areas of the display blank, he or she is limited in photo outlay and number as predetermined by the design of the collage frame or the frame unit.

[007] While the simultaneous display of multiple pieces of art is often desirable, the pieces of art to be displayed simultaneously are subject to a wide variety of subjective user tastes. The user may have a precise number of pieces of art which he or she feels would belong in the same display unit (i.e. collage frame or linked frame unit). In fact, the user may wish to display a single piece of art in certain situations while later deciding to display multiple pieces of art.

Therefore, what is desired is a method of displaying one or more pieces of art simultaneously and in a manner which may be user determined with respect to the number of pieces of art displayed. It is also desired that an apparatus be provided which would allow the outlay of the pieces of art to be user determined.

1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2443
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Brief Description Of the Drawings

[009] The accompanying drawings, which are included as part of the present specification, illustrate the presently preferred embodiment of the present invention and together with the general description given above and the detailed description of the preferred embodiment given below serve to explain and teach the principles of the present invention.

Fig. 1A is a perspective view of a display unit of the present invention having a single overlay section set.

Fig. 1B is a side view of a clip of the present invention.

Fig. 1C is a side view of a securing platform of the present invention.

Fig. 2A is a front view of a display unit of the present invention having multiple overlay section sets arranged vertically.

Fig. 2B is a side view of a double clip of the present invention.

Fig. 3A is a perspective view of a display unit of the present invention having multiple overlay section sets arranged horizontally, and self-supporting.

Fig. 3B is a top view of a hinged double clip of the present invention.

Detailed Description

[0010] The present invention provides a method and apparatus for creating a display unit of individual or collage form. In one embodiment, a display unit is used to display artwork. The display unit is comprised of at least one overlay section set having at least two overlay sections. It also has at least one clip for securing said overlay sections together. The display unit has at least one securing platform to support said overlay section set.

[0011] The following description makes reference to numerous specific details in order to provide a thorough understanding of the present invention. However, each specific detail need not be employed to practice the present invention. Additionally, well known details, such as particular materials or methods, have not been described in order to avoid unnecessarily obscuring the present invention.

[0012] Referring to Figure 1A, a single overlay section set 17 is shown as a complete display unit 1. The overlay sections of the overlay section set 17 are separate solid material sections which include an art section 5. The art section 5 may be disposed between a transparent section 3 and a backing section 4.

[0013] The transparent section 3 may be glass, Plexi-glass, or other transparent material. The backing section 4 may also be transparent. However, this is not required. Where the backing section 4 is transparent, the art section 5 may include a first art piece (not shown) facing the transparent section 3 and a second art piece (not shown) facing the backing section 4. The art section 5 may include a photograph, clipping, memento, or other piece of art having a size and shape cooperating with that of the transparent section 3 and the backing section 4, if present. The cooperating size and shape of the art section 5 promote its secure positioning between the transparent section 3 and the backing section 4.

[0014] Continuing with reference to Fig. 1A, clips 8 are shown. The clips 8 help secure overlay sections together as an overlay section set 17 when the art section 5 is secured to a transparent section 3 or a backing section 4. The clips 8 include a main body 9 and a pressure tab 10 which may be individually constructed or uniformly molded as a single piece. The transparent section 3 and the backing section 4 may be equipped with a recess or locking mechanism 80 (see Fig. 3B) to help secure the clips 8 where contact is made with the clips 8.

[0015] Securing platforms 6 are also shown in Fig. 1A. As with the clips 8, the securing platforms 6 may help secure the art section 5 to any transparent section 3 or backing section 4 which is included in an overlay section set 17. The securing platforms 6, include base extensions 12 and vertical extensions 13. The base extensions 12 are found forward of and rearward (not shown) of the overlay section set 17. Base extensions 12 are capable of supporting an overlay section set 17, or even a complete display unit 1, on a cooperating surface (see also Fig. 2A). As with the base extensions 12, the vertical extensions 13 are also found forward of and rearward (not shown) of the overlay section set 17. Again, for added security, a recess or locking mechanism 80 (see Fig. 3B) may be provided on the transparent section 3 or the backing section 4 where contact is made with the securing platforms 6.

[0016] Referring to Fig. 1B, a clip 8 is shown from the side. Unlike the clip 8 of Fig. 1A, the clip of Fig. 1B is shown as uniformly molded. The clip 8 may be constructed from any combination of commercially available plastics, metals, metal alloys, stone, wood, plaster, castings, and other suitable materials.

[0017] A clip notch 15 is shown in Fig. 1B between a main body 9 and a pressure tab 10. The clip notch 15 accommodates a complete overlay section set 17.

[0018]The pressure tab 10 may incorporate a tension spring (not shown) or other item capable of enhancing the pressure between an overlay section set 17 and the clip 8. Enhancing this pressure will increase the overall stability of the display unit 1. Additionally, the pressure tab 10, or other clip 8 portion, may be configured to aid in the mounting or hanging of the display unit 1.

[0019]In order to accommodate varying user tastes, the main body 9 may be designed in various artful forms. For example, the main body 9 may be shaped as a miniature hand, foot or animal. The main body 9 may be shaped as a letter, a number, or even an astrology sign. Other shapes may include stars, flowers, diamonds, moons, sporting equipment, cartoon characters, and a host of others.

[0020]Referring to Fig. 1C, a side view of a securing platform 6 is shown. The securing platform 6 includes rearward and forward base extensions 12. The securing platform 6 of Fig. 1C also includes rearward and forward vertical extensions 13 with a platform notch 19 there between.

[0021]The platform notch 19 is capable of accommodating and supporting an overlay section set 17 in conjunction with the surrounding vertical extensions 13 (see Fig. 1A). As with the clip 8, the securing platform 6 may be artfully shaped to accommodate varying user tastes. The securing platform 6 of Fig. 1C exhibits the shape of a shoe, but various other shapes may be used. Additionally, the securing platform 6 may be constructed from materials similar to those used in construction of a clip 8.

[0022]Referring to Fig. 2A, a display unit 1 is shown having several overlay section sets 17. The display unit 1 is supported by a pair of securing platforms 6 below a lowermost overlay section set 17. The top of the uppermost overlay section set 17 is secured by clips 8 similar to those of Fig. 1A.

[0023] Separate overlay section sets 17 are secured to one another by double clips 8. The double clips 8 include a first pressure tab (not shown) and a first main body 9 coupled to a second main body 9 and a second pressure tab (not shown) by a hub 21.

[0024] The display unit 1 of Fig 2A has overlay section sets 17 which are aligned vertically. However, there is no requirement that this be the chosen alignment. In some cases a triple (or higher multiple) clip 8 may be used to align overlay section sets 17 vertically and horizontally simultaneously. For example, a four pronged clip could aid in supporting four overlay section sets simultaneously. However, for purposes of explanation, focus has been drawn to a double clip 8.

[0025] Referring to Fig. 2B, a side view of a double clip 8 is shown. The double clip 8 includes upper and lower main bodies 9 and pressure tabs 10. A hub 21 is found between the upper and lower portions of the clip 8. Upper and lower clip notches 15 are shown, each capable of helping to secure a separate overlay section set (not shown).

[0026] Referring to Fig. 3A, a display unit 1 is again shown having several overlay section sets 17. Again, separate overlay section sets 17 are secured to one another by double clips 8. However, unlike the embodiment of Fig. 2A, the overlay section sets 17 have been aligned horizontally. Additionally, no securing platforms 6 have been used to position the display unit 1 upright (see also Fig. 2A). Rather, the double clips 8 are hinged, allowing an acute angle to be formed between adjacent overlay section sets 17.

[0027] Referring to Fig. 3B, a top view of horizontally adjacent overlay section sets 17 of a display unit 1 is shown. From this angle, the transparent section 3 and the backing section 4 are distinguishable. A hinged clip 8 is shown between adjacent overlay section sets 17. The hinged clip 8 is shown having a hinge 25 in place of a solid or alternate form of hub 21 (see also Fig.

2B). The adjacent overlay section sets 17 may now be angled with respect to one another and thus, self supporting.

[0028] Although an exemplary embodiment of the invention has been shown and described with reference to particular display units 1, many changes, modifications, and substitutions may be made by one having ordinary skill in the art without necessarily departing from the spirit and scope of this invention. For example, the present invention would be applicable to display units 1 utilizing horizontal and vertical alignments of overlay section sets simultaneously.

[0029] A method and apparatus for displaying works of art is disclosed. Although the present invention has been described with respect to specific examples and subsystems, it will be apparent to those of ordinary skill in the art that the invention is not limited to these specific examples or subsystems but extends to other embodiments as well. The present invention includes all of these other embodiments as specified in the claims that follow.